

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	("blocknear dimnear effect").PN.	USPAT; USOCR	OR	OFF	2008/01/07 12:23
S2	0	block near dim near effect	USPAT	OR	OFF	2008/01/03 16:06
S3	32	block near dim	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/03 16:06
S4	0	("7068092").URPN.	USPAT	OR	OFF	2008/01/03 16:40
S5	0	("7068092").URPN.	USPAT	OR	OFF	2008/01/03 16:44
S6	2	("6677925" "6756958").PN. OR ("7068092").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/03 17:09
S7	0	(lcd near driver) with (additional redundant auxiliary) with (voltage near (line or wire))	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/03 17:16
S8	3	((lcd "liquid crystal" lc)with driver) with (additional redundant auxiliary) with (voltage near (line or wire))	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/03 17:12
S9	4	((lcd "liquid crystal" lc)with driv\$3) with (additional redundant auxiliary extra) with (voltage near (line or wire))	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/03 17:13
S10	3	("20020158993" "5132819" "5808706").PN. OR ("7187421").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/03 17:15
S11	0	lcd with (additional redundant auxiliary) with (voltage near (line or wire))	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/03 17:16
S12	193	lcd with (additional redundant auxiliary) with (voltage)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/03 17:22
S13	826	lcd same (additional redundant auxiliary) near10 (wire line)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/03 17:24
S14	69	lcd same ((additional redundant auxiliary) near10 (wire line) with voltage)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/03 17:26
S15	54	lcd same ((additional redundant auxiliary extra) near10 ((wire line) with voltage))	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/03 17:31
S16	11	lcd and((additional redundant auxiliary extra) near10 ((wire line) with (gate near driver)))	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/03 17:31
S17	1	("20040056331").PN. OR ("6844629").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/03 17:35
S18	4	("4917467" "5132677" "5668613" "6377322").PN. OR ("6850289").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/03 17:37
S19	0	lcd same (redundant near line) same (gate near driver)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/03 17:38

S20	3	lcd and (redundant near10 line) same (gate near driver)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/03 17:38
S21	6	lcd and (redundant near10 line) same (gate with driver)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/03 17:39
S22	9	lcd and (redundant) same (gate with driver)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/03 17:40
S23	8	"5815129"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/03 17:41
S24	2	clean near (v or voltage or potential) near line	USPAT	OR	OFF	2008/01/04 07:21
S25	9	clean near (v or voltage or potential) and lcd	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/04 07:23
S26	924	(dual pair coupled twin duplex) near10 (volt voltage v) near10 gate and LCD	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/04 07:25
S27	583	(dual pair coupled twin duplex) near10 (volt voltage v) near10 gate and LCD and driver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/04 07:25
S28	59	(dual pair coupled twin duplex) near10 (volt voltage v) same (LCD same gate same driver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/04 07:26
S29	7	("20020008686" "20020047822" "4586039" "5307084" "6310598" "6567062" "6727875").PN. OR ("6933917").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/04 12:56
S30	0	"10967174"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/04 12:56
S31	1	"10/967174"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/07 11:00
S32	0	pcb-less with lcd	USPAT	OR	OFF	2008/01/06 14:36
S33	0	pcb near less with lcd	USPAT	OR	OFF	2008/01/06 14:36
S34	1	pcb near less same lcd	USPAT	OR	OFF	2008/01/06 14:37
S35	5	pcb near less same lcd	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 14:40

S36	290	gate with off with supply with line and lcd	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 14:53
S37	2	additional near supply near track and lcd	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 14:57
S38	9	clean near voltage and lcd	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 14:58
S39	45	clean near line and lcd	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 14:58
S40	35	storage near capacitor near voltage near line	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 14:59
S41	1926	storage near capacitor same lcd	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 15:00
S42	826	lcd same (additional redundant auxiliary) near10 (wire line)	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/07 10:00
S43	702	"20" and S42	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/06 15:00
S44	12	lcd same (additional redundant auxiliary) with (wire line) with stage	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/07 10:09
S45	1242	(345/100).CCLS.	USPAT; USOCR	OR	OFF	2008/01/07 10:10
S46	222	gate near driver with (pmos nmos)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 10:10
S47	2	S46 and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 10:13
S48	0	2002/0080133	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 10:13

S49	3	"20020080133"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 10:13
S50	1	10/535698	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/07 11:00
S51	6	09/837876	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/07 12:23
S52	851	lcd and (redundant auxiliary extra addition) same (gate with driv\$4 with (line or lead or wire))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/03 15:42
S53	279705	"345"/	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/03 15:42
S54	185	S52 and S53	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/03 15:42
S55	126	lcd and (redundant auxiliary extra) same (gate with driv\$4 with (line or lead or wire))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/03 15:44
S56	126	lcd and ((redundant auxiliary extra) same (gate with driv\$4 with (line or lead or wire)))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/03 15:44
S57	338	(lcd LC "liquid crystal") and ((redundant auxiliary extra) same (gate with driv\$4 with (line or lead or wire)))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/03 15:44
S58	326	(lcd LC "liquid crystal") and ((redundant auxiliary extra) same (gate with driv\$4 with (line)))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/03 15:45
S59	98	S53 and S58	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/03 15:45
S60	717	(redundant auxiliary extra) with (gate near line)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/03 15:48
S61	68	S53 and S60	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/03 15:48
S62	5	("5184082" "5377030" "5428300" "5465053").PN. OR ("5528163").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/03 15:50
S63	60	("4334310" "4368523" "4666252" "4676761" "4688869" "4775861" "4789857" "4804953" "4820222" "4851827" "4917467" "4922240" "4936656" "4938566" "4963860" "4990905" "4994796" "5033823" "5038368" "5062690" "5063378" "5075674" "5103330" "5111060" "5130703" "5132677" "5148248" "5151632" "5159477" "5164851" "5170155" "5173792" "5224102" "5235272" "5250931" "5268678" "5426447" "Re33829").PN. OR ("5555001").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/03 15:52

S64	20	(VL with VH) with (auxiliary clean redundant)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/04 09:36
S65	38	(VL with VH) same (auxiliary clean redundant)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/04 09:39
S66	61176	(VL or low near voltage) with (VH or high near voltage)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/04 09:40
S67	84042	(lcd LC "liquid crystal") and (redundant auxiliary extra)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/04 09:41
S68	2298	S66 and S67	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/04 09:41
S69	482476	lcd LC "liquid crystal"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/04 09:42
S70	30	(VL or low near voltage) with (VH or high near voltage) with (auxiliary redundant clean) with gate	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/04 09:43
S71	1947	(VL or low near voltage) with (VH or high near voltage) same (gate with driv \$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/04 10:32
S72	658	S69 and S71	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/04 10:37
S73	279705	"345"/	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/04 10:38
S74	112	S72 and S73	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/04 10:38
S75	16	("4651149" "5510805" "5526014" "5552801" "5623279" "5648792" "5666130" "5682175" "5721563" "5874934" "5900853" "6025835" "6043812").PN. OR ("6137465").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/04 11:30
S76	0	(VL with VH) same (auxiliary clean redundant)and LCD	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 09:21
S77	50	(VL or VH) same (auxiliary clean redundant)and LCD	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/28 09:22
S78	19	("20020003521" "20020030648" "5028916" "5034736" "5061920" "5657040" "5686936" "5801672" "6023260" "6072456" "6091392" "6246385" "6265889" "6377235" "6392628" "6507332" "6531996" "6611261" "6847344").PN. OR ("7348954").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/28 09:26
S79	18	"5506598"	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/28 10:04

8/ 28/ 2008 6:10:27 PM

C:\ Documents and Settings\ cma\ My Documents\ EAST\ Workspaces\ 10535698.wsp